

PCB Antenna for 2.4 GHz Application

Single-Band Antenna with I-PEX Cable Assembly



Features

- Size WxLxH (10.7 x 47.7 x 0.8 mm)
- For WLAN devices using WiFi (802.11b/g), and other applications in the ISM 2.4GHz band
- Omnidirectional radiation pattern provides broad 360° coverage
- Various cable length from 3.9 to 10 inch (100 to 254 mm)

Connector

- I-PEX

Pansize.....20/bag; 500/carton

Dimensions: Inches
mm

Unless otherwise specified, all tolerances are +/- .010
0.25

Electrical specifications @ +25 °C

Note: This part number is lead-free and RoHS compliant. No additional suffix or identifier is required.

Part Number	Frequency [GHz]	Max Gain [dBi]	Impedance [Ω]	PWB Length (in/mm)	Cable Length (in/mm)
W3525B039	2.4	2	50	1.87/47.7	3.9/100
W3525B100	2.4	2	50	1.87/47.7	10/254

Pulse Finland Oy





Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501
www.pulseeng.com/antennas



PCB Antenna for 2.4 GHz Application

Single-Band Antenna with I-PEX Cable Assembly

Typical Free space Radiation Patterns



Pulse Finland Oy

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501





www.pulseeng.com/antennas



PCB Antenna for 2.4 GHz Application

Single-Band Antenna with I-PEX Cable Assembly

Typical Free space Radiation Patterns



Pulse Finland Oy

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501

www.pulseeng.com/antennas

